

USP Stock No.	Ref. No.	He <sup>1</sup>	Min. Heel Height <sup>2</sup>	Sup'ting Member Plys	Fasteners		Normal Loads		Uplift		2 x 4 Supporting Member				2 x 6 Supporting Member				2 x 8 Supporting Member				2 x 10 Supporting Member									
					Sup'ting Member	Supported Member	100%	Hanger Max.	133%	160%	Floor		Roof		Wind		Floor		Roof		Wind		Floor		Snow		Roof		Wind			
											100%	115%	125%	133%	160%	100%	115%	125%	133%	160%	100%	115%	125%	133%	160%	100%	115%	125%	133%	160%		
					1 Ply Carried Member																											
JL24	LU24	2.794	2.66	1	(4) 10d	(2) 10d x 1 1/2	390	595	210	255	390	450	490	520	595	390	450	490	520	595	390	450	450	490	520	595	390	450	450	490	520	595
		2.794	2.66	1	(4) 16d	(2) 10d x 1 1/2	435	740	210	255	435	500	545	580	695	435	500	545	580	695	435	500	500	545	580	695	435	500	500	545	580	695
		2.794	2.66	2	(4) 10d	(2) 10d x 1 1/2	390	595	210	255	390	450	490	520	595	390	450	490	520	595	390	450	450	490	520	595	390	450	450	490	520	595
JRSSS	LU24-18	2.834	2.70	1	(4) 10d	(2) 10d x 1 1/2	390	570	210	255	390	450	490	520	570	390	450	490	520	570	390	450	450	490	520	570	390	450	450	490	520	570
		2.834	2.70	1	(4) 16d	(2) 10d x 1 1/2	435	685	210	255	435	500	545	580	685	435	500	545	580	685	435	500	500	545	580	685	435	500	500	545	580	685
		2.834	2.70	2	(4) 10d	(2) 10d x 1 1/2	390	570	210	255	390	450	490	520	570	390	450	490	520	570	390	450	450	490	520	570	390	450	450	490	520	570
SUH24	U24	2.834	2.70	2	(4) 16d	(2) 10d x 1 1/2	470	685	210	255	470	540	590	625	685	470	540	590	625	685	470	540	540	590	625	685	470	540	540	590	625	685
		2.938	2.69	1	(4) 10d	(2) 10d x 1 1/2	390	625	210	255	390	450	490	520	625	390	450	490	520	625	390	450	450	490	520	625	390	450	450	490	520	625
		2.938	2.69	2	(4) 16d	(2) 10d x 1 1/2	440	745	210	255	440	505	550	585	705	440	505	550	585	705	440	505	505	550	585	705	440	505	505	550	585	705
JUS24	LUS24	2.938	2.69	2	(4) 10d	(2) 10d x 1 1/2	400	625	210	255	400	460	500	530	625	400	460	500	535	625	400	460	460	500	535	625	400	460	460	500	535	625
		2.814	2.25	1	(4) 10d	(2) 10d	560	890	420	420	560	645	700	745	890	560	645	700	745	890	560	645	645	700	745	890	560	645	645	700	745	890
		2.814	2.25	2	(4) 10d	(2) 10d	565	890	420	420	565	650	705	750	890	565	650	705	755	890	565	650	650	705	755	890	565	650	650	705	755	890
JL26	LU26	4.319	4.34	1	(6) 10d	(4) 10d x 1 1/2	580	855	425	510	---	---	---	---	---	580	665	725	775	855	580	665	665	725	775	855	580	665	665	725	775	855
		4.319	4.34	1	(6) 16d	(4) 10d x 1 1/2	650	1020	425	510	---	---	---	---	---	650	750	815	865	1020	650	750	750	815	865	1020	650	750	750	815	865	
		4.319	4.34	2	(6) 10d	(4) 10d x 1 1/2	590	855	425	510	---	---	---	---	---	590	680	740	785	855	590	680	680	740	785	855	590	680	680	740	785	855
SUH26	U26	4.319	4.34	2	(6) 16d	(4) 10d x 1 1/2	715	1020	425	510	---	---	---	---	---	715	820	895	955	1020	715	820	820	895	955	1020	715	820	820	895	955	
		4.813	4.31	1	(6) 10d	(4) 10d x 1 1/2	580	940	425	510	---	---	---	---	---	580	665	725	775	930	580	665	665	725	775	930	580	665	665	725	775	930
		4.813	4.31	2	(6) 16d	(4) 10d x 1 1/2	660	1120	425	510	---	---	---	---	---	660	760	825	880	1055	660	760	760	825	880	1055	660	760	760	825	880	1055
JRSS	LU26-18	4.252	4.34	1	(6) 10d	(4) 10d x 1 1/2	580	855	425	510	---	---	---	---	---	580	665	725	775	855	580	665	665	725	775	855	580	665	665	725	775	855
		4.252	4.34	1	(6) 16d	(4) 10d x 1 1/2	655	940	425	510	---	---	---	---	---	655	755	820	875	940	655	755	755	820	875	940	655	755	755	820	875	
		4.252	4.34	2	(6) 10d	(4) 10d x 1 1/2	590	855	425	510	---	---	---	---	---	590	680	740	785	855	590	680	680	740	785	855	590	680	680	740	785	855
HD26	HU26	3.215	1.88	1	(4) 10d	(2) 10d x 1 1/2	395	760	220	250	395	455	495	525	630	395	455	495	525	630	395	455	455	495	525	630	395	455	455	495	525	630
		3.215	1.88	1	(4) 16d	(2) 10d x 1 1/2	450	760	220	250	450	520	565	600	720	450	520	565	600	720	450	520	520	565	600	720	450	520	520	565	600	720
		3.215	1.88	2	(4) 10d	(2) 10d x 1 1/2	410	760	220	250	410	470	515	545	655	410	470	515	545	655	410	470	470	515	545	655	410	470	470	515	545	655
JUS26	LUS26	4.489	4.42	1	(4) 10d	(4) 10d	730	1165	965	965	---	---	---	---	---	730	840	915	975	1165	730	840	840	915	975	1165	730	840	840	915	975	
		4.489	4.42	2	(4) 10d	(4) 10d	735	1165	965	965	---	---	---	---	---	735	845	920	980	1165	735	845	845	920	980	1165	735	840	840	915	975	
		5.156	4.31	1	(14) 10d	(6) 10d	1860	3345	1665	1665	---	---	---	---	---	1860	2140	2325	2480	2975	1190	1370	1370	1490	1590	1905	1265	1455	1455	1580	1685	2025
HUS26	HUS26	5.156	4.31	1	(14) 16d	(6) 16d	2145	3345	1665	1665	---	---	---	---	---	2145	2465	2680	2860	3345	1190	1370	1370	1490	1590	1905	1265	1455	1455	1580	1685	2025
		5.156	4.31	2	(14) 10d	(6) 10d	1900	3345	1665	1665	---	---	---	---	---	1900	2185	2375	2535	3040	1900	2185	2185	2375	2535	3040	1900	2185	2185	2375	2535	3040
		5.156	4.31	2	(14) 16d	(6) 16d	2265	3345	1665	1665	---	---	---	---	---	2265	2605	2830	3020	3345	2265	2605	2605	3020	3345	2265	2605	2605	3020	3345	3020	3345
THD26	---	4.785	5.25	1	(18) 10d	(12) 10d x 1 1/2	1745	3060	1315	1580	---	---	---	---	---	1745	2005	2180	2325	2790	1090	1255	1255	1365	1455	1745	1250	1440	1440	1565	1665	2000
		4.785	5.25	1	(18) 16d	(12) 10d x 1 1/2	1985	3060	1315	1580	---	---	---	---	---	1985	2285	2490	2645	3060	1090	1255	1255	1365	1455	1745	1250	1440	1440	1565	1665	2000
		4.785	5.25	2	(18) 10d	(12) 10d x 1 1/2	1800	3060	1315	1580	---	---	---	---	---	1800	2070	2250	2400	2880	1800	2070	2070	2250	2400	2880	1800	2070	2070	2250	2400	2880
THDH26	HGUS26	4.785	5.25	2	(18) 16d	(12) 10d x 1 1/2	2140	3060	1315	1580	---	---	---	---	---	2140	2460	2675	2855	3060	2140	2460	2460	2675	2855	3060	2140	2460	2460	2675	2855	3060
		5.139	5.44	1	(20) 10d	(8) 10d	2725	5000	2025	2025	---	---	---	---	---	2725	3135	3405	3635	4360	1185	1365	1365	1480	1580	1895	1265	1455	1455	1580	1685	2025
		5.139	5.44	2	(20) 16d	(8) 16d	3000	5000	2025	2025	---	---	---	---	---	3000	3450	3750	4000	4800	1185	1365	1365	1480	1580	1895	1265	1455	1455	1580	1685	2025
JL28	LU28	5.139	5.44	2	(20) 10d	(8) 10d	2845	5000	2025	2025	---	---	---	---	---	2845	3270	3555	3795	4550	2370	2725	2725	2965	3160	3795	2530	2910	2910	3160	3370	4045
		5.297	5.92	1	(10) 10d	(6) 10d x 1 1/2	970	1295	635	765	---	---	---	---	---	970	1115	1115	1215	1295	970	1115	1115	1215	1295	970	1115	1115	1215	1295	1295	
		5.297	5.92	1	(10) 16d	(6) 10d x 1 1/2	1085	1700	635	765	---	---	---																			



USP Stock No.	Ref. No.	H <sub>e</sub> <sup>1</sup>	Min. Heel Height <sup>2</sup>	Sup'ting Member Pys	Fasteners		Normal Loads		Uplift		2 x 4 Supporting Member					2 x 6 Supporting Member					2 x 8 Supporting Member					2 x 10 Supporting Member											
					Sup'ting Member	Supported Member	100%	Hanger Max.	133%	160%	Floor		Roof			Wind			Floor		Roof			Wind			Floor		Snow			Roof			Wind		
											100%	115%	125%	133%	160%	100%	115%	125%	133%	160%	100%	115%	125%	133%	160%	100%	115%	125%	133%	160%	100%	115%	125%	133%	160%		
					2 Ply Carried Member																																
THD26-2	HHUS26-2	5.156	5.41	1	(18) 10d	(12) 10d	1780	3420	1580	1895	---	---	---	---	---	1780	2045	2225	2375	2850	1190	1370	1370	1490	1590	1905	1265	1455	1455	1580	1685	2025					
		5.156	5.41	1	(18) 16d	(12) 16d	2015	3420	1580	1895	---	---	---	---	---	2015	2315	2520	2685	3225	1190	1370	1370	1490	1590	1905	1265	1455	1455	1580	1685	2025					
		5.156	5.41	2	(18) 10d	(12) 10d	1835	3420	1580	1895	---	---	---	---	---	1835	2110	2295	2445	2935	1835	2110	2110	2295	2445	2935	1835	2110	2110	2295	2445	2935					
THDH26-2	HGUS26-2	5.156	5.41	2	(18) 16d	(12) 16d	2180	3420	1580	1895	---	---	---	---	---	2180	2505	2725	2905	3420	2180	2505	2505	2725	2905	3420	2180	2505	2505	2725	2905	3420					
		5.184	4.94	1	(22) 10d	(8) 10d	2935	5060	2255	2255	---	---	---	---	---	2935	3375	3670	3915	4695	1200	1380	1380	1500	1600	1920	1265	1455	1455	1585	1690	2030					
		5.184	4.94	1	(22) 16d	(8) 16d	3600	5060	2255	2255	---	---	---	---	---	3600	4140	4500	4800	5060	1200	1380	1380	1500	1600	1920	1265	1455	1455	1585	1690	2030					
		5.184	4.94	2	(22) 10d	(8) 10d	3065	5060	2255	2255	---	---	---	---	---	3065	3525	3830	4085	4965	2400	2760	2760	3000	3200	3845	2535	2915	2915	3170	3380	4055					
		5.184	4.94	2	(22) 16d	(8) 16d	3595	5060	2255	2255	---	---	---	---	---	3595	4135	4495	4795	5060	2400	2760	2760	3000	3200	3845	2535	2915	2915	3170	3380	4055					
SUH28-2	---	5.968	4.69	1	(10) 10d	(4) 10d	970	1565	525	625	---	---	---	---	---	---	---	---	---	---	970	1115	1115	1215	1295	1500	970	1115	1115	1215	1295	1500					
		5.968	4.69	1	(10) 16d	(4) 16d	1100	1865	525	625	---	---	---	---	---	1100	1265	1265	1375	1465	1100	1265	1265	1375	1465	1100	1265	1265	1375	1465	1760						
		5.968	4.69	2	(10) 10d	(4) 10d	1000	1565	525	625	---	---	---	---	---	1000	1150	1150	1250	1335	1000	1150	1150	1250	1335	1000	1150	1150	1250	1335	1565						
HD28-2	HU28-2	5.968	4.69	2	(10) 16d	(4) 16d	1190	1865	525	625	---	---	---	---	---	1190	1370	1370	1490	1585	1190	1370	1370	1490	1585	1190	1370	1370	1490	1585	1865						
		6.750	5.29	1	(14) 10d	(6) 10d	1385	2660	785	945	---	---	---	---	---	1385	1595	1595	1730	1845	1385	1595	1595	1730	1845	1385	1595	1595	1730	1845	2215						
		6.750	5.29	1	(14) 16d	(6) 16d	1570	2660	785	945	---	---	---	---	---	1570	1805	1805	1965	2095	1570	1805	1805	1965	2095	1570	1805	1805	1965	2095	2510						
JUS28-2	LUS28-2	6.875	4.79	1	(6) 10d	(4) 10d	915	1750	1160	1170	---	---	---	---	---	---	---	---	---	---	915	1050	1050	1145	1220	1465	915	1050	1050	1145	1220	1465					
		6.875	4.79	1	(6) 16d	(4) 16d	1030	1750	1160	1170	---	---	---	---	---	1030	1185	1185	1290	1375	1030	1185	1185	1290	1375	1030	1185	1185	1290	1375	1650						
		6.875	4.79	2	(6) 10d	(4) 10d	920	1750	1160	1170	---	---	---	---	---	920	1060	1060	1150	1225	1470	920	1060	1060	1150	1225	1470	920	1060	1060	1150	1225	1470				
HUS28-2	HUS28-2	6.875	4.79	2	(6) 16d	(4) 16d	1110	1750	1160	1170	---	---	---	---	---	1110	1275	1275	1390	1480	1110	1275	1275	1390	1480	1110	1275	1275	1390	1480	1750						
		6.917	6.63	1	(6) 10d	(6) 10d	1095	2105	1565	1565	---	---	---	---	---	1095	1260	1260	1370	1460	1095	1260	1260	1370	1460	1095	1260	1260	1370	1460	1750						
		6.917	6.63	1	(6) 16d	(6) 16d	1270	2105	1565	1565	---	---	---	---	---	1270	1460	1460	1590	1695	1270	1460	1460	1590	1695	1270	1460	1460	1590	1695	2030						
THD28-2	HHUS28-2	6.917	6.63	2	(6) 10d	(6) 10d	1110	2105	1565	1565	---	---	---	---	---	1110	1275	1275	1390	1480	1110	1275	1275	1390	1480	1110	1275	1275	1390	1480	1775						
		6.917	6.63	2	(6) 16d	(6) 16d	1325	2105	1565	1565	---	---	---	---	---	1325	1525	1525	1655	1765	1325	1525	1525	1655	1765	1325	1525	1525	1655	1765	2105						
		6.906	7.16	1	(28) 10d	(16) 10d	2770	5005	2065	2150	---	---	---	---	---	---	---	---	---	---	---	2770	3185	3185	3465	3695	4430	1650	1900	2065	2200	2640					
THDH28-2	HGUS28-2	6.906	7.16	1	(28) 16d	(16) 16d	3135	5005	2065	2150	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---					
		6.906	7.16	2	(28) 10d	(16) 10d	2855	5005	2065	2150	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---				
		6.906	7.16	2	(28) 16d	(16) 16d	3390	5005	2065	2150	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---				
SUH210-2	U210-2	6.940	6.81	1	(36) 10d	(10) 10d	4540	7835	2755	2755	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---				
		6.940	6.81	1	(36) 16d	(10) 16d	5505	7835	2755	2755	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---			
		6.940	6.81	2	(36) 10d	(10) 10d	4755	7835	2755	2755	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
SUH210-2	U210-2	6.940	6.81	2	(36) 16d	(10) 16d	5570	7835	2755	2755	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---			
		8.348	8.00	1	(14) 10d	(6) 10d	1360	2190	785	940	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---			
		8.348	8.00	1	(14) 16d	(6) 16d	1545	2610	785	940	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
HD210-2	HU210-2	8.348	8.00	2	(14) 10d	(6) 10d	1400	2190	785	940	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---			
		8.348	8.00	2	(14) 16d	(6) 16d	1665	2610	785	940	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
		8.750	8.85	1	(18) 10d	(10) 10d	1780	3420	1315	1580	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
JUS210-2	LUS210-2	8.750	8.85	1	(18) 16d	(10) 16d	2015	3420	1315	1580	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---			
		8.750	8.85	2	(18) 10d	(10) 10d	1835	3420	1315	1580	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
		8.750	8.85	2	(18) 16d	(10) 16d	2180	3420	1315	1580	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
HUS210-2	HUS210-2	8.875	8.63	1	(8) 10d	(6) 10d	1275	2445	1715	1715	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---			
		8.875	8.63	1	(8) 16d	(6) 16d	1430	2445	1715	1715	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
		8.875	8.63	2	(8) 10d	(6) 10d	1285	2445	1715	1715	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
THD210-2	HHUS210-2	8.875	8.63	2	(8) 16d	(6) 16d																															





USP Stock No.	Ref. No.	H <sub>e</sub> <sup>1</sup>	Min. Heel Height <sup>2</sup>	Sup'ting Member Pys	Fasteners		Normal Loads		Uplift		2 x 4 Supporting Member					2 x 6 Supporting Member					2 x 8 Supporting Member					2 x 10 Supporting Member									
					Sup'ting Member	Supported Member	100%	Hanger Max.	133%	160%	Floor		Roof		Wind			Floor		Roof		Wind			Floor		Snow		Roof			Wind			
											100%	115%	125%	133%	160%	100%	115%	125%	133%	160%	100%	115%	125%	133%	160%	100%	115%	125%	133%	160%	100%	115%	125%	133%	160%
					45° Skewed Connectors																														
SKHH26L/R-2	HSUR/L26-2	4.875	4.50	1	(12) 10d	(4) 16d x 2 1/2	1190	2280	620	745	---	---	---	---	---	1190	1370	1490	1585	1905	1110	1275	1275	1390	1480	1775	1190	1370	1370	1490	1585	1905			
		4.875	4.50	1	(12) 16d	(4) 16d x 2 1/2	1345	2280	620	745	---	---	---	---	---	---	1345	1545	1680	1795	2150	1110	1275	1275	1390	1480	1775	1250	1440	1440	1565	1670	2005		
		4.875	4.50	2	(12) 10d	(4) 16d x 2 1/2	1225	2280	620	745	---	---	---	---	---	---	1225	1410	1530	1635	1960	1225	1410	1410	1530	1635	1960	1225	1410	1410	1530	1635	1960		
		4.875	4.50	2	(12) 16d	(4) 16d x 2 1/2	1450	2280	620	745	---	---	---	---	---	---	1450	1670	1815	1935	2280	1450	1670	1670	1815	1935	2280	1450	1670	1670	1815	1935	2280		
SKH28L/R-2	---	5.782	6.16	1	(10) 10d	(8) 10d	970	1865	1040	1175	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
		5.782	6.16	1	(10) 16d	(8) 10d	1100	1865	1040	1175	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
		5.782	6.16	2	(10) 10d	(8) 10d	1000	1865	1040	1175	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
		5.782	6.16	2	(10) 16d	(8) 10d	1190	1865	1040	1175	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
SKH210L/R-2	SUR/L210-2	8.033	8.66	1	(14) 10d	(10) 10d	1360	2610	1300	1355	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
		8.033	8.66	1	(14) 16d	(10) 10d	1545	2610	1300	1355	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
		8.033	8.66	2	(14) 10d	(10) 10d	1400	2610	1300	1355	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
		8.033	8.66	2	(14) 16d	(10) 10d	1665	2610	1300	1355	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
SKHH210L/R-2	HSUR/L210-2	8.125	7.31	1	(20) 10d	(6) 16d x 2 1/2	1980	3800	925	1110	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
		8.125	7.31	1	(20) 16d	(6) 16d x 2 1/2	2240	3800	925	1110	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
		8.125	7.31	2	(20) 10d	(6) 16d x 2 1/2	2040	3800	925	1110	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
		8.125	7.31	2	(20) 16d	(6) 16d x 2 1/2	2420	3800	925	1110	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
SKH46L/R	SUR/L46	4.375	4.33	1	(10) 10d	(6) 16d	990	1590	945	1130	---	---	---	---	---	990	1140	1240	1320	1585	990	1140	1140	1240	1320	1585	800	800	800	800	800	800			
		4.375	4.33	1	(10) 16d	(6) 16d	1120	1590	945	1130	---	---	---	---	---	---	1120	1290	1400	1495	1590	1025	1175	1175	1280	1365	1590	800	800	800	800	800	800		
		4.375	4.33	2	(10) 10d	(6) 16d	1020	1590	945	1130	---	---	---	---	---	---	1020	1175	1275	1360	1590	1020	1175	1175	1275	1360	1590	800	800	800	800	800	800		
		4.375	4.33	2	(10) 16d	(6) 16d	1210	1590	945	1130	---	---	---	---	---	---	1210	1390	1515	1590	1590	1210	1390	1390	1515	1590	1590	800	800	800	800	800	800		
SKHH46L/R	HSUR/L46	4.875	4.50	1	(12) 10d	(6) 16d	1190	2280	640	770	---	---	---	---	---	1190	1370	1490	1585	1905	1110	1275	1275	1390	1480	1775	1190	1370	1370	1490	1585	1905			
		4.875	4.50	1	(12) 16d	(6) 16d	1345	2280	640	770	---	---	---	---	---	---	1345	1545	1680	1795	2150	1110	1275	1275	1390	1480	1775	1250	1440	1440	1565	1670	2005		
		4.875	4.50	2	(12) 10d	(6) 16d	1225	2280	640	770	---	---	---	---	---	---	1225	1410	1530	1635	1960	1225	1410	1410	1530	1635	1960	1225	1410	1410	1530	1635	1960		
		4.875	4.50	2	(12) 16d	(6) 16d	1450	2280	640	770	---	---	---	---	---	---	1450	1670	1815	1935	2280	1450	1670	1670	1815	1935	2280	1450	1670	1670	1815	1935	2280		
SKH410L/R	SUR/L410	8.125	6.75	1	(16) 10d	(10) 16d	1585	2540	1355	1355	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
		8.125	6.75	1	(16) 16d	(10) 16d	1795	2540	1355	1355	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
		8.125	6.75	2	(16) 10d	(10) 16d	1630	2540	1355	1355	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
		8.125	6.75	2	(16) 16d	(10) 16d	1935	2540	1355	1355	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
SKHH410L/R	HSUR/L410	8.125	7.00	1	(20) 10d	(10) 16d	1980	3800	1565	1880	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
		8.125	7.00	1	(20) 16d	(10) 16d	2240	3800	1565	1880	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
		8.125	7.00	2	(20) 10d	(10) 16d	2040	3800	1565	1880	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
		8.125	7.00	2	(20) 16d	(10) 16d	2420	3800	1565	1880	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Hip/Jack Connectors																																			
BN264	---	5.000	2.88	1	(20) 10d	(8) 10d x 1 1/2	1980	3110	560	560	---	---	---	---	---	1980	2275	2475	2640	3110	1145	1315	1315	1430	1525	1830	1255	1445	1445	1570	1675	2010			
		5.000	2.88	2	(20) 10d	(8) 10d x 1 1/2	2000	3110	560	560	---	---	---	---	---	---	2000	2300	2500	2665	3110	2000	2300	2300	2500	2665	3110	2000	2300	2300	2500	2665	3110		
BN284	---	6.750	2.88	1	(20) 10d	(8) 10d x 1 1/2	1980	3110	560	560	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
		6.750	2.88	2	(20) 10d	(8) 10d x 1 1/2	2000	3110	560	560	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
HTHJ24-18	---	2.500	2.88	1	(10) 10d	(8) 10d	970	1550	755	755	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
		2.500	2.88	2	(10) 10d	(8) 10d	980	1550	755	755	980	1125	1225	1305	1550	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800		
HTHJ26-18	LTHJR/L	4.500	4.88	1	(16) 10d	(12) 16d	1550	2960	1430	1610	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
		4.500	4.88	1	(16) 16d	(12) 16d	1750	2960	1430	1610	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
		4.500	4.88	2	(16) 10d	(12) 16d	1570	2960	1430	1610	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
		4.500	4.88	2	(16) 16d	(12) 16d	1890	2960	1430	1610	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
HJC26	---	5.125	5.22	1	(16)																														

